

# Women's Sexual

1

## Health Trivia

Aleece Fosnight, MSPAS, PA-C, CSC-S, CSE, NCMP, IF  
Urology, Women's Health, Sexual Medicine  
Skin, Bones, Hearts and Private Parts 2021

# How does this work?

- Break into teams – Come up with a team name
- There are two rounds of five questions
  - Bid on the points for each question
  - You will have 2 minutes per question to answer
- Final question
  - Bid on as many points as you want
  - You will have 3 minutes to answer question

# ROUND ONE

Women's Sexual Health Trivia

# Question #1

By age 25, one in two sexuality active persons will contact an STI and the CDC estimates that there are nearly 20 million new STIs that occur in the United States every year.

Which of the following is the most common STI?

- A. Chlamydia
- B. Gonorrhea
- C. Human Papilloma Virus (HPV)
- D. Anogenital Herpes

# Answer: C – HPV!

- 80 million people currently affected (1 in 4) and 14 million new each year
- 9/10 infections will clear <2 years
- If persistent 30,700 cases of cancer in men and women
- We have identified over 150 strains of HPV
  - Condyloma acuminatum = HPV-6 and HPV-11 (90%)
  - Cervical cancer = HPV-16 and HPV-18 (70%)
  - Vulvar cancer = HPV-16, HPV-18, and HPV-31 (50%)
  - Oropharyngeal = HPV-16 (60%)
  - Anal = HPV-16 and HPV-18 (90%)
- 2014 Gardasil 9 valent vaccine
  - Approved for 2 doses at 0 and 6 months for F/M ages 9-14
  - Approved for 3 doses at 0, 2, and 6 months for F/M ages 15-45
  - Effective against HPV types: 3, 6, 11, 16, 18, 31, 45, 52, 58
  - Immunization benefits
    - Australia's national HPV Vaccination Program: 29-40% girls age 11-12 and 63-67% boys

## Question #2

One of the main reasons women encounter dyspareunia is secondary to vaginal dryness either related to medical conditions, medications, or not enough foreplay. One way to improve discomfort during sexual penetration is to use a personal lubricant. \*\*\*lubricant question

What percentage of women have used a personal lubricant?

- A. 20%
- B. 57%
- C. 70%
- D. 88%

# Answer: C – 70%

- Lubricants have been shown to aid in vaginal dryness and increase sexual satisfaction
- Most women use a lubricant during self pleasure vs partnered pleasure
- Apply the lubricant to the entire genital area – not just the vagina
- Lubricant safety
  - Avoid glycerin, parabens, fragrances, menthol
  - Silicone, water-based, hybrid
  - No silicone lubes with silicone toys
  - Brands: Uberlube, Good Clean Love, Sliquid, Aloe Cadobora
  - Avoid KY Jelly, Astroglide, Durex

## Question #3

When the 50 Shades of Grey trilogy came out in May 2011, many more people became curious about BDSM behavior and spicing up their sex lives.


What does BDSM stand for?

- A. Body modification/Dipping, Danger/Safe, Sadism/Masochism
- B. Bondage/Discipline, Domination/Submission, Sadism/Masochism
- C. Bottom/Domme, Dominant/Sub, Sigmoid/Masters
- D. Bondage/Discipline, Domme/Sub, Spanking/Mastering



# Answer: B!

- Can also include Kink behaviors
- Dating back to 300 AD
  - Greeks and Karma Sutra
  - 18<sup>th</sup> century brothels
- Trust and communication are paramount in BDSM practices
- A 2005 survey by Durex found that 36% of adults in the United States use masks, blindfolds and bondage tools during sex
- There are dominants, submissives, tops, and bottoms.
- Informed consent – safe, sane, and consensual
  - Risk aware consensual kink
- Setting of the “scene”
- The similarities to pain and pleasure – limbic system



Types of Play	
Animal roleplay	Paraphilic infantilism
Breast torture	Play piercing
Cock and ball torture (CBT)	Predicament bondage
Erotic electrostimulation	Pussy torture
Edgeplay	Salirophilia
Flogging	Sexual roleplay
Golden showers (urinating)	Spanking
Human furniture	Suspension
Japanese bondage	Tickle torture
Medical play	Wax play

## Question #4



Understanding the sexual response cycle did not occur until the late 1960's when William Masters and Virginia Johnson worked together to research what happens during sexual activity. After watching over 10,000 sexual encounters, their four phase sexual response cycle was born.

What is the order of the sexual response cycle?

- A. Excitement, plateau, orgasm, resolution
- B. Desire, arousal, orgasm, refractory
- C. Arousal, excitement, resolution, orgasm
- D. Excitement, arousal, orgasm, multiple orgasm

# Answer: A!

- Masters and Johnson Sexual Response Cycle
  - Excitement, plateau, orgasm, resolution
- Modern adjustment to Sexual Response Cycle
  - Desire, arousal, orgasm, resolution
- Rosemary Basson – female sexual response cycle
  - Cyclic and spontaneous desire not always the beginning
- Alfred Kinsey – first sex researcher



# Question #5

The adult novelty toy business has been booming for decades and although these companies have pocketed billions of dollars, there is only one true inventor.

The vibrator was originally developed by a British physician in the early 1900's to cure what disease?

- A. Headaches
- B. Heartburn
- C. Hysteria
- D. Hallucinations

# Answer: C – Hysteria!

- Yes, Dr. Swift was the true inventor of the original vibrator, however Cleopatra was the first documented one to use a gourd filled with bees...buzz, buzz!
- Vibrators are the #1 sex toy bought by Americans – 76%
- Caution in Novelty Stores
  - There are no regulatory organizations that monitor sex toy development
  - Most toys are made out of jelly latex – PVC
- Safe materials = silicone, stainless steel, glass/pyrex
- Why use a vibrator?
  - Immune boosting
  - Less GYN concerns
  - Self exploration
  - Improve sexual function in co-morbidities
- Should you prescribe a vibrator?



# ROUND TWO

Women's Sexual Health Trivia

# Question #6

Condoms have been around for hundreds of years as a barrier device to prevent both pregnancy and sexually transmitted infections.

The big innovation to condoms in 1839 came when Charles Goodyear discovered he could heat treat which material?

- A. Bamboo
- B. Plastic
- C. Leather
- D. Rubber

# Answer: D – Rubbers!

- Hence...condoms AKA “rubbers”
  - Goodyear rubber vulcanization 1844
  - First rubber condom in 1855
- First condoms were made from sheep skin
- The earliest known illustration of a man using a condom is a 12,000–15,000-year-old painting on the wall of a cave in France
- 450 million condoms sold each year in the US
  - Most are latex or polyurethane
  - Animal skin condoms are more porous → HIV acquisition risk
  - Distribution during the Olympics
- Durex made the first latex condoms
  - AKA The London Rubber Company 1920
- Female condoms?
  - FC2 – can be worn a full 8 hours before used
  - When used correctly, can be 95% effective



## Question #7

In 2014, NAMS and ISSWSH met to discuss a more appropriate diagnosis to describe the range of menopausal symptoms associated with physical changes of the vulva, vagina, and lower urinary tract linked to estrogen deficiency.

Which of the following is the term they agreed upon?

- A. Genitourinary Signs of Estrogen Deficiency
- B. Vulvovaginal Syndrome of Menopause
- C. Menopause Vulvovagurinary Syndrome
- D. Genitourinary Syndrome of Menopause

# Answer: D – GSM!

Symptoms	Signs
Genital dryness Decreased lubrication with sexual activity Discomfort or pain with sexual activity Post-coital bleeding Decreased arousal, orgasm, desire Irritation/burning/itching of vulva or vagina Dysuria Urinary frequency/urgency	Decreased moisture Decreased elasticity Labia minora resorption Pallor/erythema Loss of vaginal rugae Tissue fragility/fissures/petechiae Urethral eversion or prolapse Loss of hymenal remnants Prominence of urethral meatus Introital retraction Recurrent UTIs

# Question #8

While research suggests that sexual dysfunction is common, it is a topic that many people (and providers) are hesitant to discuss.

43% of women (compared to 34% of men) have a sexual health dysfunction – which of the following is the most common sexual health diagnosis?

- A. Hypoactive Sexual Desire Disorder
- B. Female Arousal Disorder
- C. Dyspareunia
- D. Sexual Aversion Disorder

# Answer: A – HSDD!

- Hypoactive sexual desire disorder (HSDD) is a subset of female sexual dysfunction (FSD) that focuses on desire, and was first defined in the Diagnostic and Statistical Manual of Mental Disorders (DSM) in 1987.
- In 2013, the DSM-V1,2 was released and has combined HSDD with Female Sexual Arousal Disorder and named it Female Sexual Interest and Arousal Disorder (FSIAD)
- It is presently defined by the DSM-V as the absence of or significant reduction in sexual interest/arousal for at least 6 months. Three of the following symptoms must also be present:
  - Absent/reduced interest in sexual activity
  - Absent/reduced sexual/erotic thoughts/fantasies
  - No/reduced initiation of sexual activity; unresponsive to partner's attempt to initiate
  - Absent/reduced sexual excitement/pleasure during sexual activity in at least 75% of encounters
  - Absent/reduced sexual interest/arousal in response to any internal or external sexual/erotic cues (eg, written, verbal, visual)
  - Absent/reduced genital or nongenital sensations during sexual activity in at least 75% of sexual encounters

# EXTRA...EXTRA...

- What really is desire???



Spontaneous

Responsive

# Question #9

Fascination with anal play has been long been seen as taboo however approximately 35% of women have tried anal sex at least once in their life.

With the most common sex injury seen in the emergency room being a retained rectal object, what is the most important component in anal play?

- A. Lubricant
- B. Flange
- C. Pelvic floor relaxation
- D. An open mind
- E. All of the above

# Answer: E – All of the above!

- Increased in anal play in adolescents – not seen as intercourse and seen as less risky since you can't get pregnant
- Increase in rectal/anal cancers – more women than men
- Why anal sex?
  - Pudendal nerve innervation
  - Why not?
- Anal Sex 101
  - Lube, lube, and more lube → the rectum is not a naturally lubricating organ
  - The rectum is a vacuum → any anal sex toy needs to have a flange
  - The external and internal sphincter response → relaxation is key
  - Discuss ahead of time and needs to be consensual
  - Caution with depth of penetration
  - Just the anus is OK too

# Question #10

While going through the FDA process for approval can be difficult, we have seen 26 medications approved for men's sexual health. It hasn't been until recently that female sexual health has been brought to the forefront of the medical community.

How many medications have been approved for women's sexual health?

- A. Zero
- B. Two
- C. Five
- D. Ten



# Answer: B – TWO!

## **Flibanserin (2015)**

- Indication: female hypoactive sexual desire disorder
- MOA: Exact mechanism of action unknown. Agonizes serotonin 5-HT<sub>1A</sub> receptors, antagonizes dopamine D<sub>4</sub> and serotonin 5-HT<sub>2A</sub>, 5-HT<sub>2B</sub>, 5-HT<sub>2C</sub> receptors
- Side effects: CNS adverse effects, hypotension, somnolence, fatigue, dizziness, nausea, syncope, xerostomia

## **Bremelanotide (2019)**

- Indication: female hypoactive sexual desire disorder
- MOA: Exact mechanism of action unknown. Nonselectively binds and activates melanocortin receptors, including MC<sub>1R</sub> expressed on melanocytes and MC<sub>4R</sub> expressed in CNS.
- Side effects: nausea, flushing, headache, dizziness, hyperpigmentation, transient hypertension



# Final Question

Women's Sexual Health Trivia

# Final Question

- Besides the genitals and breasts, what other body part swells during sexual arousal?
- The NOSE!

And the winner is...

ALL OF YOU!!!

Come on down for your prize!!!

# References

- CDC Guidelines, <https://www.cdc.gov/hpv/hcp/clinician-factsheet.html>. Accessed December 10, 2018.
- Vaccaro C, Fellner A, Pauls R. Female sexual function and the clitoral complex using pelvic MRI assessment. September 2014;180:180-5.
- Mintz LB, Quicksall KE. *Becoming Cliterate: Why Orgasm Equality Matters -- and How to Get It*. New York, NY: HarperOne; 2018.
- Richters J, de Visser RO, Rissel CE, et al. Demographic and psychosocial features of participants in bondage and discipline, "somasochism" or dominance and submission (BDSM): data from a national survey. *J Sex Med*. 2008 Jul;5(7):1660-8.
- Frequently Asked Questions to the Kinsey Institute." *The Kinsey Institute for Research in Sex, Gender, and Reproduction*. <https://www.kinseyinstitute.org/research/faq.php>. Accessed December 10, 2018.
- Taormino T. *The Ultimate Guide to Anal Sex for Women*. San Francisco, CA: Cleis; 2006.
- Kingsberg S, et al. *Handbook of Female Sexual Health and Wellness*, [www.arhp.org](http://www.arhp.org). Accessed March 30, 2020.
- Edwards D, Panay N. Treating vulvovaginal atrophy/genitourinary syndrome of menopause: how important is vaginal lubricant and moisturizer composition? *Climacteric*. 2015;19(2):151-161.
- Herbenick D, Bowling J, Fu T-C(J, Dodge B, Guerra-Reyes L, Sanders S. Sexual diversity in the United States: Results from a nationally representative probability sample of adult women and men. *Plos One*. 2017;12(7).
- Portman D and Gass M. Genitourinary syndrome of menopause: new terminology for vulvovaginal atrophy from the International Society for the Study of Women's Sexual Health and The North American Menopause Society. *Menopause*. Vol 21, No 10, 1063-1068.
- McKenzie N. Female Sexual Interest and Arousal Disorder: How We Can Help When Our Patient's Libido Hits the Brakes. *Physician Assist Clin* 3 (2018) 385–397.

**THANK YOU!**